

---

# Burbo Offshore Wind Farm

## Volume 2: Environmental Statement

SEPTEMBER 2002



### SeaScape Energy Ltd

6 Ironworks House  
Warton Rd  
Carnforth  
Lancashire  
LA5 9EX

Tel: (01524) 736553  
Fax: (01524) 730131  
Email: [info@seascape-energy.com](mailto:info@seascape-energy.com)  
Web: [www.seascape-energy.com](http://www.seascape-energy.com)



**SeaScape**  
**Energy**

---



## CONTENTS

Contents .....	i
List of Figures .....	iii
List of Tables.....	vi
Glossary .....	viii
<b>1 Introduction.....</b>	<b>1</b>
1.1 Developer .....	1
1.2 Burbo Offshore Wind Farm.....	1
1.3 Need for Renewable Energy.....	2
1.4 Benefits of the Development.....	3
1.5 Scope of the Environmental Statement .....	5
1.6 Consultation.....	5
1.7 Structure of the Environmental Statement .....	6
1.8 Project Consultants.....	7
<b>2 Project Description.....</b>	<b>9</b>
2.1 Objectives of the Project.....	9
2.2 Site Location and Physical Characteristics .....	9
2.3 Burbo Offshore Layout.....	11
2.4 Construction Schedule.....	12
2.5 Detailed Components of the Development .....	12
2.6 Wind Farm Operation .....	25
2.7 Decommissioning .....	26
2.8 Alternative Locations .....	26
<b>3 Regulatory and Policy Context.....</b>	<b>31</b>
3.1 Applications for Consents and Authorisation .....	31
3.2 Requirements for an Environmental Statement .....	32
3.3 Energy from Fossil Fuels and Global Climate Change .....	32
3.4 International Context.....	33
3.5 European Context.....	34
3.6 National Energy Policy Framework.....	34
3.7 Planning Policy .....	38
3.8 Conclusion .....	42
<b>4 Physical Environment .....</b>	<b>43</b>
4.1 Introduction.....	43
4.2 Outline Methodology.....	44
4.3 Description of the Study Area .....	45
4.4 Contemporary Morphological Development of Liverpool Bay ....	48
4.5 Hydrodynamic Regime .....	55
4.6 Wave Regime .....	66
4.7 Sediment Regime .....	74
4.8 Water Quality .....	88
4.9 Conclusion .....	90

<b>5</b>	<b>Biological Environment</b>	<b>95</b>
5.1	Introduction to Marine Ecology	95
5.2	Marine Benthic Communities	97
5.3	Intertidal Ecology	112
5.4	Marine Mammals	144
5.5	Birds	155
<b>6</b>	<b>Human Environment</b>	<b>189</b>
6.1	Socio-Economics	189
6.2	Marine Recreation and Activity	192
6.3	Tourism and Leisure	194
6.4	Fisheries	195
6.5	Noise	203
6.6	Archaeology	213
6.7	Shipping and Navigation	217
6.8	Offshore Oil and Gas Fields	231
6.9	Dredging	232
6.10	Cables and Pipelines	234
6.11	Waste Disposal and Dumping	234
6.12	Military Operations	235
6.13	Civil Aviation	236
6.14	EMI	236
6.15	Ground-based Radar	237
<b>7</b>	<b>Visual Environment</b>	<b>241</b>
7.1	Assessment of Existing Landscape and Seascape	241
7.2	Evaluation of Environmental Effects on Seascape	245
7.3	Appraisal of Predicted Visual Impacts of Development	249
7.4	Mitigation Measures	255
7.5	Appraisal of Cumulative Effects	257
7.6	Consultees and Public Responses	260
7.7	Conclusion	260
<b>8</b>	<b>Onshore Environment</b>	<b>263</b>
8.1	Introduction	263
8.2	Ecology	269
8.3	Archaeology	271
8.4	Noise	274
8.5	Traffic and Access	280
8.6	Visual Assessment of Onshore Components	283
8.7	Economics and Tourism	285
8.8	Decommissioning	286
<b>9</b>	<b>References</b>	<b>289</b>

---

## LIST OF FIGURES

- Figure 2.1 Burbo Offshore Wind Farm  
Figure 2.2 Vestas V90 turbine schematic  
Figure 2.3 Mayflower TIV-1 installation vessel  
Figure 2.4 A2Sea installation vessel  
Figure 2.5 A2Sea vessel installing onto foundation and platform  
Figure 2.6 Monopile installation  
Figure 2.7 Drill and pile-driven monopile installation equipment  
Figure 2.8 Dumping of scour protection material  
Figure 2.9 Laying cable between turbines and to shore  
Figure 2.10 Jetting machine for subsea cable burial  
Figure 2.11 Example of how directional drilling is carried out  
Figure 2.12 Route of onshore cabling and location of substation  
Figure 2.13 Installation of cables in a trench  
Figure 2.14 Alteration of Burbo Offshore Wind Farm layout
- Figure 4.1 Local sea bed features  
Figure 4.2 Adjacent sea bed activities  
Figure 4.3 Coastal geology across Liverpool Bay  
Figure 4.4 Titan survey of sea bed features  
Figure 4.5 Sea bed sediments and sediment sampling  
Figure 4.6 Changes in elevation across Liverpool Bay from 1911 to 2002  
Figure 4.7 Changes in elevation across Burbo Offshore from 1911 to 2002  
Figure 4.8 Spring tide peak flood flows  
Figure 4.9 Spring tide peak ebb flows  
Figure 4.10 Predicted changes in the flow regime around individual structures  
Figure 4.11 Predicted changes in the flow regime across the development site (Peak ebb, spring tide)  
Figure 4.12 Predicted Lagrangian flow path on flood release, spring tide with and without Burbo Offshore  
Figure 4.13 Predicted Lagrangian flow path on ebb release, spring tide with and without Burbo Offshore  
Figure 4.14 Fetch lengths and Offshore Wave Rose  
Figure 4.15 Predicted changes in the local wave regime for a 1:1 year offshore wave from 270°N  
Figure 4.16 Variation in 1:1 year wave heights originating from 270°N with and without Burbo Offshore  
Figure 4.17 Variation in 1:1 year wave heights originating from 300°N with and without Burbo Offshore  
Figure 4.18 Sedimentary processes and transport  
Figure 4.19 Measured variations in key coastal process parameters at Burbo Offshore  
Figure 4.20 Variations of bed shear stress at sites BB1 and BB2 compared to sediment thresholds

- Figure 4.21 Flow structure interaction and scour development around a vertical cylinder
- Figure 4.22 Suspended Sediment Concentrations through the water column for fine sediment plumes (0.063mm)
- Figure 4.23 Deposition of fine sediment plumes (0.063mm)
- Figure 4.24 Suspended Sediment Concentrations through the water column for sand plumes (0.250mm)
- Figure 4.25 Deposition of sand plumes (0.250mm)
- Figure 4.26 Assessment of effects on sediment pathways (sand sized material)
- 
- Figure 5.1 Numbers of taxa and individuals in Day Grab samples
- Figure 5.2 Numbers of taxa, individuals and Shannon Wiener diversity index in Day Grab samples
- Figure 5.3 Indicative biotope map of the Burbo Flats area
- Figure 5.4 Distribution of biotopes on the Wallasey foreshore in vicinity of cable route
- Figure 5.5 Red-throated diver distribution winter 2001-2002, based upon aerial surveys
- Figure 5.6 Red-throated diver distribution for December 2001 and February 2002 combined, based on boat surveys
- Figure 5.7 Common scoter distribution winter 2000-2001, combined from all aerial surveys
- Figure 5.8 Common scoter distribution winter 2001-2002, combined from all aerial surveys
- Figure 5.9 Cormorant distribution for winter 2001-2002 based on aerial surveys
- Figure 5.10 Cormorant distribution for 15th December 2001, based on boat surveys
- Figure 5.11 Auk distribution winter 2001-2002, based on aerial surveys
- Figure 5.12 Guillemot distribution for December 2001 and February 2002 combined, based on boat surveys
- Figure 5.13 Razorbill distribution for December 2001 and February 2002 combined, based on boat surveys
- Figure 5.14 Common scoter distribution 2001-02 – showing buffers used in the assessment of disturbance effects
- 
- Figure 6.1 ICES VIIa (Irish Sea) area designation
- Figure 6.2 Chart Overview of Planned Burbo Bank Offshore Wind Farm
- Figure 6.3 Detailed Chart of Wind Farm Turbine Locations
- Figure 6.4 Mean CPA of Liverpool Routes Passing Burbo Bank
- Figure 6.5 Mean Route Positions to/from Mersey
- Figure 6.6 Shipping Density Grid in Liverpool Bay
- Figure 6.7 Existing Navigational Features in the Area
- Figure 6.8 Range of Light and Sound Signals (based on IALA Ranges)
- Figure 6.9 Drifting Collision Frequency (Passing & Anchoring) for turbines (per Million Years)
- Figure 6.10 Marina Locations in NW England and North Wales
- Figure 6.11 Offshore Oil and Gas Facilities in Liverpool Bay
- Figure 6.12 Proximity of activities within Liverpool Bay to Burbo Offshore

- Figure 8.1 Example of a typical interconnection facility
- Figure 8.2 Location of onshore components and cable route
- Figure 8.3 Diagram showing a typical cable trench layout
- Figure 8.4 Photograph of a typical trench construction
- Figure 8.5 Example of a typical electrical substation
- Figure 8.6 Example of an existing electrical substation (Wallasey)
- Figure 8.7 Noise emitted by substation

## LIST OF TABLES

Table 2.1	Burbo Offshore Wind Farm area
Table 2.2	Location of monitoring mast
Table 2.3	Characteristics of Burbo Offshore
Table 2.4	Burbo Offshore Wind Farm turbine positions
Table 2.5	Monopile specification
Table 4.1	Regional area volume changes, 1911 to 2002
Table 4.2	Local area volume changes, 1911 to 2002
Table 4.3	Tidal data
Table 4.4	Summary of extreme offshore wave conditions
Table 4.5	Summary of extreme offshore and nearshore wave conditions at Burbo Offshore
Table 4.6	Measurements of suspended sediment (mg/l)
Table 5.1	Matrix to assess significance of impacts
Table 5.2	Importance of representative communities and selected benthic species from Burbo Flats.
Table 5.3	Area of biotopes present that will be affected by construction activities (Km <sup>2</sup> )
Table 5.4	Loss of seabed habitat (Km <sup>2</sup> )
Table 5.5	Summary of biotopes found in intertidal surveys
Table 5.6	Noises generated by anthropogenic activities other than offshore wind farms
Table 5.7	Underwater noise generated at Middlegrunden, Vindeby and Bockstigen-Valar: peak source levels and frequencies (Henriksen et al. 2001)
Table 5.8	Summary of Environmental Impacts on Fish (assuming scour protection is used)
Table 5.9	Cetacean species present throughout the year in the Northern Irish Sea or recorded annually as seasonal visitors
Table 5.10	Cetacean species recorded casually in the Northern Irish Sea
Table 5.11	Summary of risk of impacts from Burbo on populations of international and national importance
Table 5.12	Cumulative effects on Red-throated Diver
Table 5.13	Cumulative effects on Common Scoter
Table 5.14	Cumulative disturbance effects by proposed wind farms in Liverpool Bay
Table 6.1	Top visitor attractions in Merseyside
Table 6.2	Sample measurements of ambient noise, 15 April 2002
Table 6.3	Sound power emissions at various wind speeds, Vestas V90
Table 6.4	Separation distances
Table 6.5	Atmospheric absorption over large distances
Table 6.6	Predicted noise level contributions LAeq dB at coastal residential properties, assuming low, medium or high air absorption

Table 6.7	Routes to and from the Mersey
Table 6.8	Shipping collision risk summary table
Table 6.9	Liverpool Bay Asset associated installations
Table 7.1	Predicted change and impacts of wind farm
Table 7.2	Summary of predicted cumulative visual impacts
Table 8.1	Daytime ambient noise levels (evening peak period) dB
Table 8.2	Night-time ambient noise levels dB

## GLOSSARY

AIS	Automatic Identification System
AOD	Absolute Ordnance Datum
AONB	Area of Outstanding Natural Beauty
BS	British Standards
BWEA	British Wind Energy Association
CE	Crown Estate
CEFAS	Centre for Environment, Fisheries and Aquaculture Science
COWL	Celtic Offshore Wind Limited
CPA	Closest Point of Approach
CPA	Coastal Protection Act
dB	Decibel
DEFRA	Department for the Environment, Food and Rural Affairs
DNC	Declared Net Capacity
DTI	Department of Trade and Industry
DWT	Dead Weight Tonnes
EC	European Community
EEC	European Economic Community
EIA	Environmental Impact Assessment
EN	English Nature
ES	Environmental Statement
EU	European Union
FEPA	Food and Environment Protection Act
GIS	Geographic Information System
GONW	Government Office North West
GRT	Gross Registered Tonnage
HAT	Highest Astronomical Tide
hr	Hour
Hz	Hertz
HSE	Health and Safety Executive
IALA	International Association of Lighthouse Authorities
ISM	International Safety Management Code
km	Kilometre
kV	Kilovolts
kWh	Kilowatt hours
kWhr/yr	Kilowatt hours per year
LAT	Lowest Astronomical Tide

---

LBA	Liverpool Bay Asset
LMIU	Lloyd's Marine Intelligence Unit
LPG	Local Planning Guidance
m	Metre
mm	Milimetre
MANWEB	Merseyside and North Wales Electricity Board
MBC	Metropolitan Borough Council
MCA	Maritime and Coastguard Agency
MDHC	Mersey Docks and Harbour Company
MHW	Mean High Water
MHWS	Mean High Water Springs
MLW	Mean Low Water
MSMR	Merseyside Sites and Monuments Record
MW	Megawatts
nm	Nautical Mile (1nm = 1,852metres)
NFFO	Non-Fossil Fuels Obligation
NMGM	National Museums and Galleries of Merseyside
NWDA	North West Development Agency
NWP	National Wind Power
OSGB36	Ordnance survey of Great Britain (1936)
OWF	Offshore Wind Farm
PEC	Pilotage Exemption Certificate
PIU	Policy and Innovation Unit
PPG	Planning Policy Guidance
RA	Radiocommunications Agency
REAG	Renewable Energy Advisory Group
RNLI	Royal National Lifeboat Institution
ROC	Renewables Obligation Certificate
ROV	Remote Operated Vehicle
RPG	Regional Planning Guidance
RSPB	Royal Society for the Protection of Birds
RYA	Royal Yachting Association
SAC	Special Area of Conservation
SFC	Sea Fisheries Committee
SNH	Scottish Natural Heritage
SPA	Special Protection Area
SSSI	Special Site of Scientific Interest
TCPA	Town and Country Planning Act
TSS	Traffic Separation Scheme
TWh	Terrawatt hours
UDP	Unitary Development Plan
UK	United Kingdom

UKCIP	United Kingdom Climate Impact Programme
UKCS	United Kingdom Continental Shelf
UKHO	United Kingdom Hydrographic Office
VHF	Very High Frequency
WGS84	World Geodetic System (1984)
WWF	World Wildlife Fund
ZVI	Zone of Visual Influence