

---

## CHAPTER 9: REFERENCES

ABP Research & Consultancy Ltd, 2001. *Burbo Bank Wind Farm. Preliminary Coastal Process Investigations*. R913.

ACES, 1992. *Automated Coastal Engineering System – Technical Reference*. Coastal Engineering Research Centre. Department of the Army - Waterways Experiment Station, Corps of Engineers. Version 1.07. September 1992.

Ambrose RF; Swarbrick SL (1989) Comparison of fish assemblages on artificial and natural reefs off the coast of southern California. *Bulletin of Marine Science* 44 718-733

Amezcuca Martinez, F. (2000). *Distribution and biology of the order Pleuronectiformes in the north Irish Sea in relation to sediment type*. PhD Thesis. University of Liverpool; Port Erin Marine Laboratory, Isle of Man.

Andersen, S. (1970) Auditory sensitivity of the harbour porpoise *Phocoena phocoena*. *Invest.cetacea* 2:255-259.

Anderson, J.J. (1992) *Assessment of the risk of pile driving to juvenile fish*. Report by the Fisheries Research Institute, University of Washington, to the Deep Foundations Institute, Seattle, Washington. 11p.

Anonymous (1999). *Atrina fragilis* (a fan shell). Species Action Plan. In UK Biodiversity Group. Tranche 2 Action Plans. English Nature for the UK Biodiversity Group, Peterborough.

Applied Environmental Research Centre (1996). *The behaviour of smelt on and around spawning grounds on the River Cree*. Report to SNH. AERC; Lochmaben.

Aprahamian, M. W. and Robson, C.F. (1996). Chapter 5.8 Fish: salmon, sea trout and eels. In: *Coasts and Seas of the United Kingdom. Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*, ed.s J.H. Barne, C.F. Robson, S.S. Kaznowska, J.P. Doody and N.C. Davidson, 125-127. Joint Nature Conservation Committee; Peterborough.

Aprahamian, M.W. and Aprahamian, C.D. (1990). Status of the genus *Alosa* in the British Isles; past and present. *J. Fish. Biol.* 37 (Supplement A): 257-258.

Arnold, H., Bartels, B., Wilson, B., and Thompson, P. (1997) *The bottlenose dolphins of Cardigan Bay: Selected biographies of individual bottlenose dolphins recorded in Cardigan Bay, Wales*. Report to Countryside Council for Wales. CCW Science Report No. 209.

Bamber, R.N. (1988) *A survey of the intertidal soft-sediment fauna of the Mersey Estuary*, March 1987. Unpublished, Central Electricity Generating Board (Reports Group Report, No. RD/L/3338/R88)

Barne, J. H., Robson C. F., Kaznowska. S. S., Doody, J. P., and Davidson, NC. Eds, (JNCC, 1996). *Coasts and Seas of the United Kingdom, Region 13, Northern Irish Sea; Colwyn Bay to Stranraer, including the Isle of Man*. Peterborough, Joint Nature Conservation Committee,

Bartlett, J.M. (1998). *Quality Control Manual for Computational Estuarine Modelling*. Environment Agency, R&D Technical Report W113.

Basimi, R.A. and Grove, D.J. (1985). Estimates of daily food intake by an inshore population of *Pleuronectes platessa* L. off eastern Anglesey, North Wales. *J. Fish. Biol.* 27: 505-520.

Bassindale, R. (1938). The intertidal fauna of the Mersey estuary. *Journal of the Marine Biological Association of the U.K.*, 23, 83-98.

Bell M. 1997 Environmental Archaeology in the Coastal Zone. In: Fulford M., Champion T. & Long A. (Eds) *England's Coastal Heritage. A Survey for English Heritage and the RCHME*. English Heritage Archaeological Report 15.

Benjamin V. 1868 *Haydn's Dictionary of Dates*, 13<sup>th</sup> Edition, London.

Benner, H.J.B., Berkhuisen, J.C., de Graaf, R.J. & Postma, A.D. 1993: *Impact of wind turbines on bird life. Unpublished report written for the Commission of European Communities, no 9247, 75 pp.*

Best, R., Ainsworth, G., Wood, P.C. and James, J.E., 1973. *Effect of sewage sludge on the marine environment: a case study in Liverpool Bay*. The Institution of Civil Engineers, Part 2 Research and Theory, 55, 43-66.

BGS, 1984. *Liverpool Bay Sheet 53°N 04°W. 1: 250 000 Series. Sea Bed Sediments and Quaternary Geology*.

BHP Billiton Petroleum Ltd. (2001). *Liverpool Bay Oil and Gas Production s Operations*. Environmental Statement. Mid 2001 Edition. Document no. H-000-BR-030 Rev.2. September 2001.

BHP Billiton Petroleum Ltd., (2001). *Liverpool Bay Oil and Gas Production Operations, Environmental Statement*. BHP Billiton Petroleum: London Doc Number: H-000-BR-030 Rev 2.

Bjørge, A., and Øien, N. (1995) *Distribution and abundance of harbour porpoise, Phocoena phocoena, in Norwegian waters*. Report of the International Whaling Commission, Special Issue No. 16: 89-98.

Blaber, S.J.M. and Blaber, T.G. (1980). Factors affecting the distribution of juvenile estuarine and inshore fish. *J. Fish. Biol.* 17: 143-162.

Bond Pearce (1999). *Blyth Offshore Wind Farm: Planning and Environmental Consents*, Bond Pearce: Plymouth.

Brand AR; Wilson UAW (1996). *Seismic surveys and scallop fisheries: A report on the impact of a seismic survey on the 1994 Isle of Man queen scallop fishery*. Report to a consortium of oil companies by Port Erine Marine Laboratory, University of Liverpool, Port Erin, Isle of Man.

Bray, J.R. and Curtis, J.T. (1957). An ordination of the upland forest communities of Southern Wisconsin. *Ecol. Monogr.*, 27, 325-349.

British Geological Survey, (1995). In: Barnes et al (eds.), 1995 *Coasts and Seas of the United Kingdom*, Region 12 Wales: Margam to Little Orme (chap. 2) and Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man (chap. 2). Joint Nature Conservation Committee, Peterborough.

British Wind Energy Association (1996) *The Economics of Wind Energy*, London: The British Wind Energy Association.

Brownbill J. 1928 *West Kirby and Hilbre*. Liverpool

Bruce, J.R., Colman, J.S. and Jones, N.S. (eds) (1963). *Marine Fauna of the Isle of Man and its surrounding seas*. Liverpool Marine Biological Committee Memoirs Typical British Marine Plants and Animals, Liverpool University Press, 2nd edition, 307 pp.

BS 5228, (1992) *Noise Control on Construction and Open Sites*, Part 4, Code of Practice for Noise and Vibration Control Applicable to Piling Operations.

Buchanan, J.B. 1984. Chapter 4. Sediment Analysis. *In Methods for the Study of Marine Benthos*, eds N.A. Holme & A.D. McIntyre, Blackwell Scientific Publications, 41-65.

Buckland, S.T., Bloch, D., Cattanach, K.L., Gunnlaugsson, T., Hoydal, K., Lens, S., and Sigurjónsson, J. (1993) *Distribution and abundance of long-finned pilot whales in the North Atlantic, estimated from NASS-87 and NASS-89 data*. Rep. International Whaling Commission, (special issue 14), 33-49.

Bullock, T.H. (1973) Seeing the World through a New Sense: Electroreception in Fish. *Am. Sci.* 61, 316-325

*Burbo Bank Wind Farm, Navigation Assessment*, MDHC - Portia Management Services Ltd, Aug 2002.

BWEA (2002), [www.bwea.com](http://www.bwea.com)

BWEA (2002). *Guidelines for Health and Safety in the Wind Energy Industry*, BWEA.

Camacho-Ibar, V.F. and McEvoy, J. (1996). Total PCBs in Liverpool Bay sediments. *Marine Environmental Research*, 41(3), 241-263.

Camhi, M., Fowler, S., Musick, J., Bräutigam, A. and Fordham, S. (1998). *Sharks and their relatives. Ecology and Conservation*, IUCN/SSC Occasional Paper.

Casella Science and Environment, 2001. *Proposed Offshore Wind Farm, Burbo Bank, Liverpool Bay EIA Scoping Study*.

Casella Stanger (2001). *Burbo Offshore Wind Farm: EIA Scoping Study*, Casella Stanger: Liverpool, Ref 86410101/AU01.

CEFAS and Environment Agency (2002). *Annual Assessment of Salmon Stocks and Fisheries in England and Wales: 2001*. Preliminary assessment prepared for ICES, April 2002. CEFAS; Lowestoft.

CEFAS, 2001. *Offshore Wind Farms: Guidance note for Environmental Impact Assessment in respect of FEPA and CPA requirements*.

Chitty G. & Warhurst M. 1977 Ancient Meols: A Collection of Ancient Finds From the Cheshire Shore. *JMAS* 1, 19-42

Chitty G. 1978 Wirral Rural Fringes Report. *JMAS*, 2, 1-26

Claridge, P.N. and Gardner, D.C. (1978) Growth and movements of the twaite shad, *Alosa fallax* (Lacepede), in the Severn Estuary. *J.Fish. Biol.* 12 (3) : 203-211.

Clark, K.R. and Warwick, R.M. (1994). *Change in Marine Communities: An Approach to Statistical Analysis and Interpretation*. Natural Environment Research Council and Plymouth Marine Laboratory: 144 pp.

Clark, P.F. (1986). *North East Atlantic Crabs; an atlas of distribution*. Marine Conservation Society, Ross-on-Wye. 252 pp.

Clausager, I. & Nohr, H. 1995. *Vindmøllers indvirkning på fugle: status over viden og perspektiver*. Technical Report no 147 from The National Environment Research Institute, Ministry of the Environment, Denmark, 51 pp.

CMACS 2002. *Burbo Offshore Wind Farm Environmental Impact Assessment - Marine Ecology Technical Report*. SeaScape Energy Ltd.

*Coast Protection Act*, 1949.

Cole, S., Codling, I.D., Parr, W. and Zabel, T. (1999). *Guidelines for managing water quality impacts within UK European marine sites*. A Report to WRC. October 1999. Natura 2000. UK Marine SACs Project.

Cole, S., Codling, I.D., Parr, W. & Zabel, T., (1999). *Guidelines for managing water quality impacts within UK European marine sites*. Prepared for the UK Marine SAC Project. Natura 2000.

Connor, D.W., Dalkin, M.J., Hill, T.O., Holt, R.H.F., and Sanderson, W.G. (1997). *Marine biotope classification for Britain and Ireland. Vol. 2. Sublittoral biotopes*. Version 97.06. JNCC Report No. 230. Joint Nature Conservation Committee, Peterborough. 448 pp.

Council of the International Association of Marine Aids to Navigation and Lighthouse Authorities, IALA Recommendation 0-117 "Recommendation for the Marking of Offshore Wind Farms", May 2000.

Countryside Council for Wales (2001). *The Guide to Best Practice in Seascape Assessment*, Maritime Ireland/Wales INTERREG Report No.5.

Countryside Council for Wales (2002). *Development of a methodology for the Assessment of Cumulative Effects of Marine Activities using Liverpool Bay as a Case Study*, Oakwood Environmental Ltd, CCW Rep 522.

Coveney, John, & Phalan, Ben, 2001. *Arklow Bank Seabird & Marine Mammal Survey, July 2000 – June 2001*. Final Report June 2001. For Tinomey & Company. Coveney Wildlife Consulting Ltd.

Covey, R. (1988) *Marine nature Conservation Review Sector 11. Liverpool Bay and the Solway Firth: area summaries*. Peterborough, Joint Nature Conservation Committee. (Coasts and Seas of the United Kingdom. MNCR Series).

Cowell R.W. & Innes J. B. 1994 *The Wetlands of Merseyside. North West Wetlands Survey 1*. Lancaster.

Cox E. 1895 *Traces of Submerged Lands on the Coasts of Lancashire, Cheshire and North Wales THSLC 56*, 19-56

Cyrus, D.P. and Blaber, S.J.M. (1987). The influence of turbidity on juvenile marine fishes in estuaries. Part 1: Field studies at Lake St. Lucia on the south-eastern coast of Africa. *J. Exp. Mar. Biol.* 109: 53-70.

Dalkin, M. and Barnett, B. (2001) Procedural Guideline No. 3-6 Quantitative sampling of intertidal sediment species using cores. In: Davies, J., Baxter, J., Bradley, M., Connor, D., Khan, J., Murray, E., Sanderson, W., Turnbull, C. and Vincent, M. (eds.) *Marine Monitoring Handbook*, UK Marine SAC Project, Joint Nature Conservation Committee, Peterborough.

Darbishire, R.D. (1886). Report on the testaceous Mollusca of the Liverpool Marine Biological Committee district. *F.L.B.*, 1, 232-66.

Davidson, N.C. (1995). Chapter 4.1, Estuaries. In: *Coasts and Seas of the United Kingdom, Region 13, Northern Irish Sea: Colwyn Bay to Stranraer including the Isle of Man*, Eds: Barnes, J.H, Robson, C.F. Kaznowska, S.S, Doody, J.P, Davidson, N.C. Joint Nature Conservation Committee, Peterborough.

Department for Environment, Food & Rural Affairs (DEFRA), (2000). *Quality Status Report of the Marine and Coastal Areas of the Irish Sea and Bristol Channel 2000*. [www.defra.gov.uk/environment/marine/quality](http://www.defra.gov.uk/environment/marine/quality).

Department for Environment, Food & Rural Affairs (DEFRA), (2001). *Digest of Environmental Statistics*. Chp 4, [www.defra.gov.uk/environment/statistics](http://www.defra.gov.uk/environment/statistics)

Dietz, R; Teilmann, J; Henricksen, O.D.; Laidre, K. (2001) Satellite tracking as a tool to study potential effects of offshore wind farms on seals at Rødsand - Technical Report. Ministry of the Environment and Energy, Denmark (in English) pp.43.

Dirksen, S., H. Schekkerman, J. van der Winden, M.J.M. Poot, R. Lensink, L.M.J. van den Bergh & A.L. Spaans 1998. *Roost migration of black terns and common terns near the wind turbine at the sluices of Den Oever*. Report 98.57. Bureau Waardenburg, DLO-Instituut voor Bos- en Natuuronderzoek, Culemborg, Wageningen (in Dutch)

Dobbson, D (2002) *Cumbrian Sea Fisheries Committee*.

Dodgson 1972 *The Place Names of Cheshire*. Pt V.

Doody J P. (1995). Chapter 1, Overview, In: *Coasts and Seas of the United Kingdom, Region 13, Northern Irish Sea: Colwyn Bay to Stranraer including the Isle of Man*. Eds: Barnes, J.H, Robson, C.F, Kaznowska, S.S, Doody, J.P, Davidson, N.C. Joint Nature Conservation Committee, Peterborough.

Dove 1976 **Reference in MSMR**

DTI (1998). *Digest of UK Energy Statistics*.

DTI (2001). *Guidance Notes on the Offshore Wind Farm Consents Process*, DTI: London.

Duck, C.D. (1996). 5.14 *Seals In: Coasts and Seas of the United Kingdom - Region 13, Northern Irish Sea Colwyn Bay to Stranraer including the Isle of Man* Eds: Barnes, J.H, Robson, C.F, Kaznowska, S.S, Doody, J.P, Davidson, N.C. Joint Nature Conservation Committee, Peterborough.

## Dudgeon 1972 Reference in MSMR

Eadie, R.W. & Herbich, J.B. (1986). *Scour about a single, cylindrical pile due to combined random waves and currents*. Proc. 20<sup>th</sup> international conference on coastal engineering, ASCE, Nov 9-14; pp 1858-1870.

Eagle, R.A. (1973). Benthic Studies in the South East of Liverpool Bay. *Estuarine and Coastal Marine Science*. 1: 285-299.

Eagle, R.A. (1975). Natural fluctuations in a soft bottom benthic community. *Journal of the Marine Biological Association of the U.K.*, 55, 865-878.

Ebersole, B. A., and Hughes, S. A. 1987. "DUCK85 Photopole Experiment," Miscellaneous Paper CERC-87- 18, US Army Engineer Waterways Experiment Station, Vicksburg, MS.

Elliot, M., Nedwell, S., Jones, N.V., Read, S.J., Cutts, N.D., and Hemingway, K.L. (1998). *Intertidal sand and mudflats and subtidal mobile sandbanks (volume II). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs*. Scottish Association for Marine Sciences (UK Marine SACs Project), Oban, Scotland, UK.

Ellis, J.R., Rogers, S.I. and Freeman, S.M. (2000). Demersal assemblages in the Irish Sea, St Georges Channel and Bristol Channel. *Estuarine, Coastal and Shelf Science*, 51, 299-315.

EMP Consultants (2001). *Burbo Offshore Wind Farm: Anemometer Mast Consents*, EMP Consultants: Burnham.

EMU (2001). *Burbo Offshore Wind Farm: Data Review*, Report 01/J/1/06/0332/0245.

English Nature, Royal Society for the Protection of Birds, World Wildlife Fund, British Wind Energy Association (2001). *Wind farm development and nature conservation. A guidance document for nature conservation organisations and developers when consulting over wind farm proposals in England*.

Environment Agency (2000). *Fisheries Statistics 2000. Salmoionid and freshwater fisheries statistics for England and Wales*. National Salmon and Trout Fisheries Centre - Environment Agency; Peterborough.

Environment Agency (2000b). *Consultation document on a proposed National Eel Management strategy*. March 2000. Environment Agency.

Environment Agency, 1998. *Quality Control Manual for Computational Estuarine Modelling*. R&D Technical Report W113.

*Environmental Impact Assessment: a Guide to Procedures 2000*  
Department for Transport, Local Government and the Regions

Environmental Resources Management (ERM) (2002). *Rhyl Flats Offshore Wind Farm Environmental Statement. March 2002. - Volume II - Offshore Environmental Impact Assessment.*

Erbe, C. and Farmer, D.M. (2002) A software model to estimate zones of impact on marine mammals around anthropogenic noise. *Journal of the Acoustical Society of America*, 108, 1327-1331.

ETSU (1996) *Assessment and Rating of Noise from Wind Farms*, ETSU-R-97.

ETSU (2001) *Assessment of the effects of Offshore Wind Farms on Birds*, ETSU W/13/00565/REP.

ETSU, 2002. *Potential Effects of Offshore Wind Developments on Coastal Processes*. ETSU W/35/00596/00/REP.

European Wind Energy Association (1997) *The Wind Energy Industry - Status and Prospects*. (London: European Wind Energy Association).

Evans, P.G.H. (1992) *Status Review of Cetaceans in British and Irish Waters*. Report to UK Department of the Environment. Oxford, Sea Watch Foundation.

Evans, P.G.H. (1996) Unpublished Data. Sea Watch Foundation, Oxford University.

Evans, P.G.H. (1998a) Cetacean distributions in the waters around the British Isles. In: *United Kingdom Digital Marine Atlas*, Third Edition. Natural Environment Research Council.

Evans, P.G.H. (1998b) Biology of cetaceans of the north-east Atlantic (in relation to seismic energy). In: Tasker, M.L. ; Weir, C., (eds.) *Proceedings of the Seismic and Marine Mammal Workshop*, London, 23-25 June 1998.

Feist, B. E.; J. J. Anderson, and R. Miyamoto. 1996. *Potential impacts of pile driving on juvenile pink (*Oncorhynchus gorbuscha*) and chum (*O. keta*) salmon behaviour and distribution*. Report No. FRI-UW-9603. Fisheries Research Institute, School of Fisheries, Univ. of Washington, Seattle, WA. 58p

FishBase (2002). <http://www.fishbase.org>

Folk, R.L. 1965. *Petrology of Sedimentary Rocks*.

Fox, C.J., Dickey-Collas, M., Winpenny, A.J. (1997). *Spring plankton surveys of the Irish Sea in 1995: The distribution of fish eggs and larvae*. Science series technical report No:104. CEFAS.

Fulford M., Champion T. & Long A. (Eds) 1997 *England's Coastal Heritage. A Survey for English Heritage and the RCHME*. English Heritage Archaeological Report 15.

Garwood, P., and Foster-Smith, R. (1991) *Intertidal survey from Rhos Point to New Brighton*. Nature Conservancy Council, CSD Report, No. 1,194.

Gifford and Partners (2001). *Burbo Bank Wind Farm: Structural Engineering Programme*, B3999A/R01.

Gifford and Partners (2001). *Burbo Bank Wind Farm: Structural Engineering Appraisal*, B3999A/R02.

Gifford and Partners (2002). *Burbo Bank Wind Farm: Structural Monitoring of Anemometer Mast*, B3999A/R03

Gill, A.B. and Taylor, H. (2001) *The potential effects of electromagnetic fields generated by cabling between offshore wind turbines upon elasmobranch fishes*. CCW Contract Science Report No. 488.

Glenn 1914 *TLCAS* 32

Gough R. 1789 *Camden's Britannia* 1582 Folio edition Vol 2

Gray, M.J. (1995). *The coastal fisheries of England and Wales, Part III: A review of their status 1992-1994*. Fisheries research Technical Report No. 100. Directorate of Fisheries Research; Lowestoft.

Gruffydd K.L. 1984 *Ships and Sailors of the Dee, 1277-1737 Cymru a'r Mor/Maritime Wales* Vol 8.

Gruffydd K.L. 1985 *Maritime Dee during the Later Middle Ages Cymru a'r Mor/Maritime Wales* Vol 8.

Gruffydd K.L. 1992 *Wales's Maritime Trade in Wine During the Later Middle Ages. Cymru a'r Mor/Maritime Wales* Vol 15.

*Guide to Best Practice in Seascape Assessment*, March 2001  
Countryside Council for Wales, Brady Shipman Martin and University College Dublin (referred to as GSA)

*Guidelines for Landscape and Visual Assessment*, Second Edition 2002,  
Landscape Institute with Institute of Environmental Management and Assessment (referred to as GLVA)

Guillemette, M., Larsen, J.K. & Clausager, 1998. *Impact assessment of an off-shore wind park on sea ducks*. Unpublished report no 227 from Denmark's Miljoundersogelser, 61 pp.

Gulland, J.A. and Walker, D.T. (1998) Marine Seismic Overview. In: Tasker, M.L. and Weir, C. (eds.). *Proceedings of the Seismic and Marine Mammals Workshop*, London

Halliwell, R. and O'Connor, B.A., 1974. *Quantifying Spoil Disposal Practices*. In: Proceedings of the Fourteenth Coastal Engineering Conference, Volume 3, 2581-2600. New York: ASCE.

Hammond, N and Lewis, M. (2002) Unpublished Data. Solway Shark Watch and Sea Mammal Survey.

Hartnoll, R.G. (1988). *Circalittoral faunal turf biotopes (volume VIII). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs*. Scottish Association for Marine Sciences (UK Marine SACs Project), Oban, Scotland, UK.

Hawkins A.D., Johnstone A.D.F. (1978) The hearing of the Atlantic salmon *Salmo salar*. *Journal of Fish Biology* 13 655-673

Hawkins, A.D. (1993). Underwater sound and fish behaviour. In: Pitcher, T.J (ed), *The Behaviour of Teleost Fish*, Second Edition. Groom Helm Ltd., Kent 114-149

Hayward, P., Nelson-Smith, T. and Shields, C. (1996). *Sea Shore of Britain and Europe*. Collins Pocket Guide. Harper Collins; London.

Hayward, P.J. and Ryland, J.S. (1990). *The Marine Fauna of the British Isles and North-West Europe*. Oxford University Press; Oxford.

Henriksen, O. D; Teilmann, J; Dietz, R; Miller, L. (2001) *Does underwater noise from offshore wind farms potentially affect seals and harbour porpoises?* Poster presented at the "14th biennial conference on the biology of marine mammals" Vancouver, Canada.

Herrnkind, WF; Butler, MJ; Hunt, JH (1997) *Can artificial habitats that mimic natural structures enhance recruitment of Caribbean spiny lobster?*. *Fisheries* 22 24-27

Hillis, J.P. and Grainger, R.J.R. (1990). 5. The Species Exploited. In: *The Irish Sea. An Environmental Review. Part 3 – Exploitable Living Resources*. Irish Sea Study Group Report. Liverpool University Press; Liverpool. p83-125.

Hoffman E; Astrup J; Larsen F; Munch-Petersen S; Strottrup J (2000) *The effects of marine wind farms on the distribution of fish, shellfish and marine*

*mammals in the Horns Rev area*. Baggrundsrapport nr. 24. Report to ELSAMPROJEKT A/S. Danish Institute for Fisheries Research.

Holt, T.J. and Shalla, S.H.A. (2001). *Baseline survey in support of the development of hydrocarbon production at BHP's Hamilton East site, Liverpool Bay*. A report to BHP Petroleum Ltd, November 2001, C2581/11-01 v1.

HR Wallingford, 1982. *The Mersey Estuary. Observations of tidal currents, salinities and suspended solids concentrations during a spring tidal cycle*. Report No. EX 1088. November 1982. Hydraulics Research Station Wallingford.

HSE *Ship/Platform Collision Incident Database* (1997), November 1999.

Hume A. 1863 *Ancient Meols-Some Account of the Antiquities near Dove Point on the Sea Coast of Cheshire*, London

Hutchinson, P. (1983). *The ecology of smelt *Osmerus erpelanus* L., from the River Thames and the River Cree*. PhD Thesis. University of Edinburgh.

Innes J.B. & Tomlinson P. R. 1991 Environmental Archaeology in Merseyside. *JMAS*, 7 1-20

Innes J.B. & Tooley M.J. 1993 The Age and Vegetational History of the Sefton Coast Dunes. In Atkinson D. & Houston J. (eds) *The Sand Dunes of the Sefton Coast, Liverpool* 35-40.

Innogy Plc and National Wind Power Offshore Limited, (2002) *North Hoyle Offshore Wind Farm Environmental Statement*. NWP offshore Ltd: Buckinghamshire.

Irish Sea Forum (2000). *The Irish Sea: Environmental Health and Management (Vols 1-4)*, The Irish Sea Study Group.

Irving, R.A., Jones, D.R., Holt, T.J. and Hawkins, S.J. (1996). 4.2 The sea bed. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P. and Davidson, N.C. (eds) 1996. *British coasts and seas. Region 13: Northern Irish Sea. Colwyn Bay to Stranraer*. Peterborough, Joint Nature Conservation Committee: 73-82.

Isaacson M., 1979. *Wave induced forces in the diffraction regime*. In: *Mechanics of Wave-Induced Forces on Cylinders*.

Jarvis A. 1998 A Safe Home in Port? Shipping Safety Within the Port of Liverpool. *The Northern Mariner* VIII, 4, 17-33

JNCC (2001). SAC feature information. <http://www.jncc.gov.uk/idt/sac/data>.

JNCC, (1998). *Marine Nature Conservation Review Sector 11. Liverpool Bay and the Solway Firth: area summaries*, Peterborough, Joint Nature Conservation Committee. Coasts and Seas of the United Kingdom. MNCR Series.

JNCC 1989. *Guidelines for the selection of biological SSSIs*. Joint Nature Conservation Committee.

Jobling, M. (1995) Gas bladder and sound detection (Chapter 2.8) In: *Environmental Biology of Fish*.

Johnston, A.J. & Erasito, S. (1994). *Scour in the vicinity of piles*. Proc. International Conference on Hydraulics in Civil Engineering. Brisbane, pp 315-320.

Johnston, C.M., Turnbull, C.G. & Tasker, M.L. 2002. *Natura 2000 in UK Offshore Waters: Advice to support the implementation of the EC Habitats and birds Directives in UK offshore waters*. JNCC Report 325.

Joint Nature Conservation Committee (2002) *Mermaid Database - Marine Nature Conservation Review (MNCR) Survey Database* (<http://www.jncc.gov.uk/mermaid/>)

Joint Nature Conservation Committee (JNCC). (1998) *Guidelines for minimising acoustic disturbance to marine mammals from seismic surveys*. April 1998 version. Aberdeen, UK.

Jones G.D.B. 1980 Archaeology and Coastal Change in the North-West. In Thompson F.H. (Ed.) *Archaeology and Coastal Change*. The Society of Antiquaries, London.

Jones, I. (2001). *Dee cockle bed closure*. Doc Reference SM259/01lj. Environment Agency; Warrington.

Jones, J. & Franklin, A. (1997) *Monitoring and surveillance of non-radioactive contaminants in the aquatic environment and activities regulating the disposal of wastes at sea, 1994*. Sci. Ser., Aquat. Environ. Monit. Rep., CEFAS, Lowestoft, (47).

Jones, J., Rowlatt, S.M., Rees, H.L., Portmann, J.E. (1997) *Seventh Report of the Group Co-ordinating Sea Disposal Monitoring* Sci. Ser., Aquat. Environ. Monit. Rep., CEFAS, Lowestoft, (50).

Jones, L.A., Hiscock, K. and Connor, D.W. (2000). *Marine habitat Review. A summary of ecological requirements and sensitivity characteristics for the conservation and management of marine SACs*. UK Marine SACs Project report by JNCC. 177 pp.

- Jones, N.S. (1950). Marine bottom communities. *Biological Reviews.*, 25, 283-313.
- Kaiser, M.J. and Spencer, B.E. (1996). The effects of beam trawl disturbance on infaunal communities in different habitats. *Journal of Animal Ecology*, 65, 348-358.
- Kalmijn, A.J. (1982) Electric and Magnetic Field Detection in Elasmobranch Fishes. *Science* 218, 916-918
- Kastak, D., Schusterman, R.J., Southall, B.L. and Reichmuth, C.J. (1999) Underwater temporary threshold shift in three species of pinniped. *Journal of the Acoustical Society of America* 106: 1142-1148.
- Kenna R.J.B. 1978 Early Settlement on the North Wirral Coastal Area, *JMAS* 2, 27-34
- Kenna R.J.B. 1979 Coastal Change and Early Settlement on the North Wirral *JMAS* 2, 41-53
- Kenna R.J.B. 1986 The Flandrian Sequence of North Wirral. (North West England) *Geol J.* 21, 1-27.
- Knudsen, F. R., C. B. Schreck, S. M. Knapp, P. S. Enger and O. Sand. 1997. Infrasound produces flight and avoidance responses in Pacific juvenile salmonids. *Journal of Fish Biology* 51: 824-829.
- Knudsen, F. R., P. S. Enger And O. Sand. (1992) Awareness reactions and avoidance responses to sound in juvenile Atlantic salmon, *Salmo Salar* L. *Journal of Fish Biology* 40: 523-534.
- Knudsen, F. R., P. S. Enger And O. Sand. (1994) Avoidance responses to low-frequency sound in downstream migrating Atlantic salmon smolt, *Salmo Salar*. *Journal of Fish Biology* 45: 227-233.
- Komdeur, J., Bertlesen, & Cracknell, G. (eds) 1992. *Manual for Aeroplane and Ship Surveys of Waterfowl and Seabirds*. IWRB Special Publication No. 19, National Environmental Research Institute Kalo.
- Kruger, Thorsten, & Garthe, Stefan, 2001. *Flight altitudes of coastal birds in relation to wind direction and speed*. *Atlantic Seabirds* 3(4).
- Kruskal, J.B. (1964a). Multidimensional scaling by optimising goodness of fit to a non-metric hypothesis. *Psychometrika*, 29, 1-27.
- Kruskal, J.B. (1964b). Nonmetric Multidimension scaling: a numeric method. *Psychometrika*, 29, 115-129.
- Lance, G.N., and Williams, W.T. (1967). A general theory of classification sorting strategies. I. Hierarchical systems. *Comp. J.*, 9, 373-380.

Langston, W.J., Bryan, G.W. & Burt, G.R. (1994) Heavy Metals in UK Estuaries: PML Data and Mapping Programme NRA R&D Note 280 85 pp. National Rivers Authority, Bristol.

IEA (1994). *Acoustic Measurement of Noise Emissions from Wind Turbines* (3rd Ed).

Lennon, G.W., 1963. *The identification of weather conditions associated with the generation of major storm surges along the west coast of the British Isles*. Q. Jl. R. met. Soc., 89.

Lewis, E.J. (1992) *Social cohesion and residency of bottle-nosed dolphins (Tursiops truncatus) in west Wales. An analysis of photographic data*. BSc Thesis, University of Leeds. 31pp.

Liverpool Bay Coastal Group 1999 *Liverpool Bay Shoreline Management Plan. Sub-Cell 11a: Great Ormes Head to Formby Point. Context Report*. Shoreline Management Partnership.

Long A.J. & Roberts D.H. 1997 Sea-level Change. In: Fulford M., Champion T. & Long A. (Eds) *England's Coastal Heritage. A Survey for English Heritage and the RCHME*. English Heritage Archaeological Report 15.

Lyle, A.A. and Maitland, P.S. (1997). The spawning migration and conservation of smelt *Osmerus eperlanus* in the River Cree, southwest Scotland. *Biol. Conserv.* 80: 303-311.

Mackie, A.S.Y. (1990). Offshore benthic communities of the Irish Sea. In: *Irish Sea Study Group Report, part 1*, Liverpool University Press, 169-218.

MAFF and WOAD (1990). *Bass – Nursery Areas and Other Conservation Measures*. MAFF Ref. PB 0234. MAFF Publications; London.

MAFF, 1999. *Flood and Coastal Defence Project Appraisal Guidance - Economic Appraisal. A procedure guide for operating Authorities*. FCDPAG3.

Maitland, P.S. (1980). Review of the ecology of lampreys in Northern Europe. *Can. J. Fish. Aquat. Sci.* 37 (11): 1944-1952.

Maitland, P.S. (1995). Conservation of freshwater fish: past and present experience. *Biol. Conserv.* 72: 259-270.

Marine Conservation Society (MCS) (2000) *Habitats factsheet: artificial reefs*. SP/08/00

Marine Pollution Monitoring Management Group (1998) National Monitoring Programme. *A survey of the Quality of UK Coastal Waters* Marine Pollution Monitoring Management Group, Aberdeen.

Marshall, S. and Elliot, M. (1998). Environmental influences on the fish assemblage of the Humber Estuary, U.K. *Est. Coast. Sci.* 46: 175-184.

McDowell, D.M. and O'Connor, B.A. (1977). *Hydraulic Behaviour of Estuaries*. Civil Engineering Hydraulics series

Metoc, (1999). *An Assessment of the Environmental Effects of Offshore Wind Farms (Draft)*, Metoc.

Metropolitan Borough of Sefton, (2002). *Unitary Development Plan, First Deposit Draft July 2002*, Wirral MBC: Liverpool.

Metropolitan Borough of Wirral, (1998). *Foreshore Survey 1997*, Bulk Volume Analysis (Main Document).

Metropolitan Borough of Wirral, (2000). *Unitary Development Plan, Adopted February 2000*, Wirral MBC: Liverpool.

Michael C. 1994 *The Wrecks of Liverpool Bay*. Liverpool Marine Press.

Mills, D. (1971). *Salmon and Trout: A resource, its ecology, conservation and management*. Oliver and Boyd; Edinburgh.

Mills, D.J. (1998). Liverpool Bay to the Solway (Rhos-on-Sea to the Mull of Galloway) (MNCR Sector 11). In: *Marine Nature Conservation Review. Benthic Marine Systems of Great Britain and the north-east Atlantic* ed. By K. Hiscock, 315-338. Peterborough, Joint Nature Conservation Committee. (Coasts and seas of the United Kingdom. MNCR series).

Mitchell, J.R., Moser, M.E. and Kirby, J.S. (1988). *Declines in midwinter counts of waders roosting on the Dee Estuary*. *Bird Study* 35: 191-198

Moffatt M. 1977 *The Prehistory of the Wirral Peninsula*. Unpublished Thesis, Liverpool University

Moore, A. and Potter, E.C.E. (1994). *The movements of sea trout (Salmo trutta L.) through the estuary of the Rive Avon, Southern England*. *Fisheries Management and Ecology*. 1: 1-14.

Moore, A., Ives, M., Scott, M. and Bamber, S. (1998). The migratory behaviour of wild sea trout (*Salmo trutta* L.) smolts in the estuary of the River Conwy, North Wales. *Aquaculture*. 168: 57-68.

Moore, J. (2002). *An atlas of marine biodiversity action plan species and habitats and species of conservation concern in Wales*. 2<sup>nd</sup> Edition. CCW contract science report no 509.

Moore, S.E., Ljungblad, D.K.: (1984) Gray whales in the Beaufort, Chuckchi and Bearing Seas: Distribution and sound production. P. 543-559 In: Jones, M.L., Swartz, S.L., Leatherwood, S. (eds.), *The gray whale Eschrichtius robustus*. Academic Press, Orlando, Florida 600p.

Mortimer W.W. 1847 *The History of the Hundred of Wirral*, London

Mountfield S. 1965 *Western Gateway: A History of the Mersey Docks and Harbour Board*. Liverpool University Press.

Muller, R.P., Neitzel, D.A., Mavros, W.V. (1998) *Evaluation of low and high frequency sound for enhancing fish screening facilities to protect outmigrating salmonids*. Report by Pacific Northwest National Laboratory, Richmond, Washington, US to US Dept Energy. 26p.

Musgrove, A.J., Pollitt, M.S., Hearn, R.D., Holloway, S.J., Marshall, P.E., Robinson, J.A. & Cranswick, P.A. 2001. *The Wetland Bird Survey 1999-2000: Wildfowl and Wader Counts*. BTO/WWT/RSPB/JNCC, Slimbridge.

Musters, C.J.M., M.A.W. Noordervliet & W.J. ter Keurs (1995). *Bird casualties and wind turbines near the Kreekrak sluices of Zeeland*. Environmental Biology Leiden University. Leiden, March 1995, 28 pp.

Musters, C.J.M., M.A.W. Noordervliet and W.J. ter Keurs (1996). *Bird casualties caused by a wind energy project in an estuary*. Bird Study (1996) 43, pp. 124-126

Nash, R.D.M. (1990). 4.3. Fish assemblages in the Irish Sea. In: *The Irish Sea. An Environmental Review. Part 1 – Nature Conservation*. Irish Sea Study Group Report. Liverpool University Press; Liverpool. p325-333.

Nash, R.D.M., Rosetti, H. Vella, G. and Holt, T.J. (2001). *Juvenile fish surveys on the Wirral*. A Report for Casella Environment. Centre for Marine and Coastal Studies; University of Liverpool.

National Marine Fisheries Service (NMFS) (1998) *Small takes of marine mammals incidental to specified activities; seismic hazards investigations in Puget Sound/Notice of issuance of an Incidental Harassment Authorization*. Federal Register 63: 2213-2216

National Rivers Authority, 1995. *The Mersey Estuary: A Report on Environmental Quality*. London: HMSO, (Water Quality Series No.23).

Nestler, J.M., Ploskey, G.R., Pickens, J., Menezes, J., Schilt, C. (1992) Response of blueback herring to high frequency sound and implications for reducing entrainment at hydropower dams. *North American Journal of Fish Management* 12 667-683

New and Renewable Energy (1999): *Prospects for the 21st Century*, DTI.

Nichols, J.H., Haynes, G.M., Fox, C.J., Milligan, S.P., Brander, K.M. and Chapman, R.J. (1993). *Spring plankton surveys of the Irish Sea in 1982, 1985, 1987, 1988, and 1989: hydrography and the distribution of fish eggs and larvae*. Fisheries Research Technical Report No. 95. MAFF Directorate of Fisheries Research; Lowestoft.

Noer, H., Christensen, T.K., Clausager, I., & Petersen, I.K. 2000. *Effects on birds of an offshore wind park at Horns Rev: Environmental impact assessment*. NERI report commissioned by Elasmprojekt A/S 2000. Published by Ministry of Environment and Energy and National Environmental Research Institute

Northridge, S.P., Tasker, M.L., Webb, A., and Williams, J.M. (1995) *Distribution and relative abundance of harbour porpoises (*Phocoena phocoena* L.), white-beaked dolphins (*Lagenorhynchus albirostris* Gray), and minke whales (*Balaenoptera acutorostrata* Lacepède) around the British Isles*. ICES Journal of Marine Science, 52: 55-66.

NWP Offshore Ltd, 2002a. *North Hoyle Offshore Wind Farm Environmental Statement*.

NWP Offshore Ltd, 2002b. *North Hoyle Offshore Wind Farm. Ornithology Technical Report*, March 2002.

NWP Offshore Ltd, 2002c. *North Hoyle Offshore Wind Farm. Ornithology Technical Report, Supplement 1: Red-throated divers in March 2002*, April 2002.

Oliver, F., Robinson, P. & Harrod, C. 2001. *Common scoter *Melanitta nigra* in Liverpool Bay*. CCW contract science report no 470. Casella Stanger

Oxley I. & O'Regan D. 2001 *The Marine Archaeological Resource*. IFA Paper No. 4

Pawson, M.G. and Robson, C.F. (1996). Chapter 5.7 Fish: exploited sea fish. In: *Coasts and Seas of the United Kingdom. Region 13. Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*, eds J.H. Barne, C.F. Robson, S.S. Kaznowska, J.P. Doody and N.C. Davidson, 120-124. Joint Nature Conservation Committee; Peterborough.

Pearson WH; Skalski JR; Malme CI (1992) Effects of sound from geophysical survey device on behaviour of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Science* 49 1343-1356

Percival, S. 2001 *Assessment of the effects of offshore wind farms on birds*. ETSU

Perrins, C. (ed.). 1998. *The Complete Birds of the western Palearctic on CD-Rom*. Oxford University Press.

Pierson, M.O., Wagner, J.P.; Langford, V.; Birnie, P.; Tasker, M.L. (1998) Protection from and mitigation of the potential effects of seismic exploration on marine mammals. In: *Proceedings of the Seismic and Marine Mammal Workshop*, London June 1998. Eds.: Tasker, M.L. and Weir, C.

Portia Management Services Ltd (2002). *Navigational Assessment*, Burbo Offshore Wind Farm.

Potts, G.W. and Swaby, S.E. (1993). *Review of the status of estuarine fishes*. English Nature Research Reports No. 34. English Nature; Peterborough.

Potts, G.W. and Swaby, S.E. (1996). Chapter 5.9 Fish: other species. In: *Coasts and Seas of the United Kingdom. Region 13. Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*, eds J.H. Barne, C.F. Robson, S.S. Kaznowska, J.P. Doody and N.C. Davidson, 128-130. Joint Nature Conservation Committee; Peterborough.

Rees 1991 *Industrial Archaeology on Merseyside*

Rees, E.I.S. (2001). Habitat specialisation by *Thia scutellata* (Decapoda: Brachyura) off Wales. *Journal of the Marine Biological Association of the U.K.*, 81(4) 697-698.

Rees, E.I.S. and Walker, A.J.M (1983). Annual and spatial variation in the *Abra* community in Liverpool Bay. *Oceanologica Acta* (Special Volume). 165-169.

Rees, E.I.S. and Walker, A.J.M (1984). Macrobenthos community and population monitoring studies around the dumping ground. In: *Sewage sludge disposal in Liverpool Bay. Research into effects 1975 to 1977. Part 2 Appendices*. Water Technical Division, Department of the Environment, London. pp. 113-163.

Rees, E.I.S., Walker, A.J.M. and Ward, A.R. (1972). Benthic fauna in relation to sludge disposal. In: *Out of Sight: Out of Mind. Report of a working party on the disposal of sludge in Liverpool Bay. Volume 2: Appendices*. Dept of the Environment, Her Majesty's Stationary Office, London. pp. 229-343.

Rees, H.L. and Dare, P.J. (1993). *Sources of mortality and associated life-cycle traits of selected benthic species: a review*. Fisheries Research Data Report No 33. MAFF Directorate of Fisheries Research; Lowestoft.

Rees, H.L., Rowlatt, S.M., Limpenny, D.S., Rees, E.I.S. and Rolfe, M.S. (1992) *Benthic studies at dredged material disposal sites in Liverpool Bay*.

Aquatic Environment Monitoring Report No 28. MAFF Directorate of Fisheries research, Lowestoft. 21 pp.

Rice, K.A. & Putwain, P.D., (1987). *The Dee and Mersey Estuaries, Environmental Background*. Environmental Advisory Group for Shell UK Ltd.

Richardson, W.J; Greene, C.R; Malme, C.I; Thompson, H.H (1995). *Marine Mammals and Noise*. Academic Press, San Diego.

Ridgeway, S., Carter, D., Smith, R., Kamolnick, T., Schlundt, C. and Elsberry, W. (1997) *Behavioural response and temporary shift in masked hearing threshold of Bottlenose dolphins *Tursiops truncatus*, to 1-second tones of 141 to 201dB re 1  $\mu$ Pa*. Technical report 1751 to Naval Command, Control and Oceanic Surveillance Centre (NCCOSC), RDTandE Division, San Diego, California.

Riley, J.D., Symonds, D.J. and Woolner, L.E. (1986). Fisheries Research Technical Report No. 84. *Determination of the distribution of the planktonic and small demersal stages of fish in the coastal waters of England, Wales and adjacent areas between 1970 and 1984*. MAFF; Lowestoft.

Rilov G; Benayahu. Y (2000) Fish assemblage on natural versus vertical artificial reefs: the rehabilitation perspective. *Marine Biology* 136 5 931-942

#### Roberts 1992 **Reference in MSMR**

Roberts P. & Trow S. 2002 *Taking to the Water: English Heritage's Initial Policy for the Management of Maritime Archaeology in England*. English Heritage.

Robinson, P & Oliver, F. in prep. *Common scoter *Melanitta nigra* in Wales 2001/2002*. CCW contract science report. Casella Stanger

Robson, C.F. (1996). 9.1. Human Activities. In: *Coasts and Seas of the United Kingdom. Region 13. Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*, ed.s J.H. Barne, C.F. Robson, S.S. Kaznowska, J.P. Doody and N.C. Davidson, 215-226. Joint Nature Conservation Committee; Peterborough.

Roeder C. 1898 On a newly discovered Neolithic Settlement at the Red Noses, New Brighton, Near Liverpool. *THSLC* 50, 123-50.

Rogers (1993). The dispersion of sole, *Solea solea* and plaice *Pleuronectes platessa* within and away from a nursery ground in the Irish Sea. *J. Fish. Biol.* 43 (Supplement A): 275-288.

Rogers (1994). Species composition and production of sole, *Solea solea* L., in a flatfish nursery ground on the north Wales coast, UK. *Aquaculture and Fisheries Management*. 25: 275-288.

Rogers, S.I., Rijnsdorp, A.D., Damm, U. and Vanhee, W. (1998). Demersal fish populations in the coastal waters of the UK and continental NW Europe from beam trawl survey data collected from 1990 to 1995. *J. Sea Res.* 39: 79-102.

Rowlatt, S.M., Ridgeway, I.M., (1997) *Final Reports of the Metals Task Team and the Organics Task Team Sci. Ser.*, Aquat. Environ. Monit. Rep., CEFAS, Lowestoft, (49).

*RYA Marina Guide*, 2000.

Sand, O., Enger, P.S., Karlsen, H.E, Knudsen F.R. (2001) *Detection of infrasound in fish and behavioural responses to intense infrasound in juvenile salmonids and European silver eels: A mini-review*. American Fisheries Society Symposium 26: 183-193.

Scholik, A.R. and Yan, H.Y. (2001) The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics*, (23) part 4: 27-36.

*Scoping Study: Proposed Offshore Wind farm, Burbo Bank*, August 2001  
Casella Reference 86410101/AUG01

Seaman, W. & Sprague, L.M. (Eds.), 1991. *Artificial habitats for marine and freshwater fisheries*. Academic Press.

SeaScape, 2002. *Burbo Offshore Wind Farm. Scoping Report*. May 2002.

Seaward, D.R. (1982). *Sea area atlas of the marine molluscs of Britain and Ireland*. Peterborough: Nature Conservancy Council.

Seaward, D.R. (1990). *Distribution of marine molluscs of north west Europe* Peterborough: Nature Conservancy Council.

Sefton Council 1997 *The Sefton Coast Management Plan*. Second Review 1997-2006. Sefton Coast Management Scheme Steering Group

Shalla, S.H.A., Holt, T.J., Hawkins, S.J. and Wolff, G.A. (1997). *Environmental assessment for blocks 110/13 and 110/15, Liverpool Bay. Results from the RV Roagan cruises 1993-1994*. A report to Hamilton Oil Co. Ltd (now BHP Ltd) by the Environmental Organic Chemistry and Geochemistry Group, University of Liverpool, 1997. 151 pp.

Shaw, D.F., 1975. *Dredging in the Mersey and its approaches*. In: *Liverpool Bay Study Group*, ed. Liverpool Bay: an assessment of present

knowledge, 31-32. Natural Environment Research Council Publications Series C, No. 14.

Shennan, I., 1989. *Holocene crustal movements and sea-level changes in Great Britain*. *Journal of Quaternary Science*, 4, 77-89.

Shepard, R.N. (1962). The analysis of proximities: multidimensional scaling with an unknown distance function. II. *Psychometrika*, 27, 219-246.

*ShipRoutes*, developed by Anatec UK Ltd. ([www.shiproutes.com](http://www.shiproutes.com)).

Shoreline Management Partnership, HR Wallingford & Applied Environmental Research Centre, 1998. *Liverpool Bay Shoreline Management Plan. Sub-cell 11a: Great Ormes Head to Formby Point*. Stage 1 Volume Consultation Document. Rossett: Shoreline Management Partnership.

Sinclair, C.A., Crossland, A.R., Ribbens, J. (2000). *Sparling (smelt), Osmerus eperlanus, Conservaiton on the River Cree*. A Report to SNH. West Galloway Fisheries Trust.

SMRU (2002a). Website of the Sea Mammal Research Unit. *Small Cetaceans - Small cetacean abundance in the North Sea*. Web site address: [http://smub.st-and.ac.uk/small\\_cetaceans.htm](http://smub.st-and.ac.uk/small_cetaceans.htm)

SMRU (2002b). Website of the Sea Mammal Research Unit. *Seals in Great Britain*. Web site address: [http://smub.st-and.ac.uk/seals\\_in\\_gb.htm](http://smub.st-and.ac.uk/seals_in_gb.htm)

Soulsby, R.L. (1997). *Dynamics of marine sands*. A manual for Practical Applications. Thomas Telford, London.

Stammers M. 1999 The Archaeology of the Mersey Estuary: Past Work and Future Potential. In Stammers M (Ed) *Mud Flats. Archaeology in Intertidal and Inland Waters Around the Mersey Estuary*. NMGM.

Stone, B.H., Sears, J., Cranswick, P.A., Gregory, R.D., Gibbons, D.W., Rehfisch, M.M, Aebischer, N.J. & Reid, J.B. 1997. *Population estimates of birds in Britain and in the United Kingdom*. *British Birds* 90: 1-22, January-February 1997

Stone, C.J., Webb, A., Barton, C., Ratcliffe, N., Reed, T.C., Tasker, M.L., Camphuysen, C.J. & Pienkowski, M.W. 1995. *An atlas of Seabird Distribution in North West European Waters*. Joint Nature Conservation Committee

Sumer, B.M. & Fredsøe, J. (2001). *Wave scour around a large vertical circular cylinder*. *Journal of Waterway, Port, Coastal, and Ocean Engineering*. May/June 2001.

Sumer, B.M. & Fredsøe, J. (2002). *The mechanics of scour in the marine environment*. Advanced series in Ocean Engineering – Volume 17.

Sustainability Northwest (2001), *From Power to Prosperity: Advancing Renewable Energy in North West England*.

Swaby, S.E. and Potts, G.W. (1990). Rare British marine fishes – identification and conservation. *J. Fish. Biol.* 37 (Supplement A): 133-143.

Symonds, D.J. and Rogers, S.I. (1995). The influence of spawning and nursery grounds on the distribution of sole *Solea solea* (L.) in the Irish Sea, Bristol Channel and adjacent areas. *J. Exp. Mar. Biol. Ecol.* 190: 243-261.

Taylor, P.M and Parker, J.G. (1993). *An Environmental Appraisal: the Coast of North Wales and North West England*, Hamilton Oil Company Ltd, 80 pp.

*The Burbo Bank Offshore Wind Farm – Impact on Commercial Fisheries*, Poseidon July 2002.

Titan Environmental Surveys Ltd., 2002. *Burbo Offshore Wind Farm - Geophysical Survey*. CS0038/D1/1.

Titan Environmental Surveys Ltd., 2002. *Burbo Offshore Wind Farm - Oceanographic Survey: Tides, Currents & Waves*. Volume 1, 2 and 3.

Tooley M.J. 1980 Theories of Coastal Change in North-West England. In Thompson F.H. (Ed.) *Archaeology And Coastal Change*. The Society of Antiquaries, London.

Tooley, Mi, (1978). *Sea-level Changes: North-west England during the Flandrian Stage*. Oxford.

Tulp, I., van der Bergh, L.M.J., Dirksen, S. & Schekkerman, H. 1999. *Nocturnal flights of Scaup near the Afsluitdijk. Additional research for EIA IPWA*. Bureau Waardenburg Rep. 99.18. Bureau Waardenburg, Culemborg/Institut voor Bos-en Natuuronderzoek (IBN-DLO), Wageningen, The Netherlands.

Twemlow J.A. 1918 *Liverpool Town Books. Proceedings of Assemblies, Common Councils, Portmoot Courts & Co. 1550-1862*. Vol. 1. University of Liverpool.

Tyler-Walters, H. (1999). *Atrina fragilis. Fan Mussel. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [on-line]*. Plymouth: Marine Biological Association of the United Kingdom. [cited 09/01/02]. Available from: <http://www.marlin.ac.uk>.

UKHO, 2002. *Tidal Stream Atlas - Irish Sea and Bristol Channel*. N.P. 256.

Usher G. 1971 Hazards of Fourteenth Century Seafaring: Some Evidence from Gwnedd Cymru a'r Mor/Maritime Wales Vol 2.

Valdemarsen JW (1979) *Behaviour aspects of fish in relation to oil platforms in the North Sea*. ICES C.M., B:27

Vella, G., Rushforth, I., Mason, E., Hough, A., England, R., Styles, P., Holt, T., Thorne, P. (2001). *Assessment of the Effects of noise and vibration from offshore wind farms on marine wildlife*. Report to ETSU (Department of Trade and Industry). DTI/Pub URN 01/1341. Pp 71.

Wang, R.K. & Herbich, J. (1983). *Combined current and wave-produced scour around a single pile*. COE Report No. 269 – Dept. of Civil Engineering Texas, Engineering Experiment Station.

Ward 1992 *Attack Warning Red: The Royal Observer Corps of the Defence of Britain 1925-1992*

Ward, P.D. and Healy, S.G. (2002) *Sound propagation modelling and environmental impact mitigation strategy for Rhyl Flats Wind Farm*. QinetiQ/SandE/SCS/TR020300/2.0. Report to Hayes-McKenzie Partnership, 2002.

Westerberg, H (1999) Impact Studies of Sea-Based Windpower in Sweden. "*Technische Eingriffe in marine Lebensraume*"

Wheeler, A. (1969). *The Fishes of the British Isles and N. W. Europe*. Macmillan; London.

Wickens, J. and Barker, G (1996). Quantifying complexity in rock reefs. In Jensen, A.C. (ed.) *European artificial reef research. Proceedings of the 1st EARRN conference*. Ancona, Italy. March 1996. Southampton Oceanography Centre. pp423-430.

Wiese, F.K., Montevecchi, W.A., Davoran, G.K., Huettmann, F., Diamond, A.W. & Linke, J. 2001. Seabirds at Risk around Offshore Oil Platforms in the North-west Atlantic. *Marine Pollution Bulletin*. 42: 1285-1290

Wilson, E., 1999. *Thia scutellata*. Thumbnail crab. *Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [online]*. Plymouth: Marine Biological Association of the United Kingdom. [cited 14/05/02]. Available from: <<http://www.marlin.ac.uk>>

*Wind and Wave Frequency Distributions for Sites around the British Isles*, Health & Safety Executive, Offshore Technology Report 2001/030, 2001.

Woodworth, P.L., 1999. *High Waters at Liverpool since 1768: the UK's Longest Sea Level Record*. Geophysical Research Letters, Vol. 26, No. 11

Wyn, G., Brazier P. and McMath, M. (2000) *CCW Handbook for Marine Intertidal Phase I Survey and Mapping*. CCW Marine Science R